





	<p>TC-L OSRAM: DULUX L PHILIPS: PL-L</p> <p>Recessed luminaires for panels in mineral fibre with exposed structure or plasterboard ceiling, 600x600mm Steel parabolic recuperator with high reflectivity in white colour. Lamps cover from opal methacrylate</p>	<p>L 662</p> <p>IP 20 CE F</p>	
				<p style="text-align: right;">PRICE LIST</p>
CODE	DESCRIPTION	DIMENSIONS	COLOUR	Electronic ballast
357493	L662 x 40W TC-L / 2G11	596 x 596 x 80	White	
357523	L662 x 55W TC-L / 2G11	596 x 596 x 80	White	
<p>Note: For installing of the luminaires in plasterboard the hole dimension is 580x580mm. Note: Suspension bracket 15BS necessary for the installation in plasterboard ceiling (set of 4 pieces) - Code: 303001</p>				

		<p>TC-L OSRAM: DULUX L PHILIPS: PL-L</p> <p>Recessed luminaires for panels in mineral fibre with exposed structure or plasterboard ceiling, 600x600mm Steel parabolic recuperator with high reflectivity in white colour. Micro-perforated reflector from steel painted in white colour covered with reflection film. Parabolic louvre from specular aluminium.</p>	<p>SOFT LIGHT L 672</p> <p>IP 20 CE F</p>	
				<p style="text-align: right;">PRICE LIST</p>
CODE	DESCRIPTION	DIMENSIONS	COLOUR	Electronic ballast
354493	L672 x 40W TC-L / 2G11	596 x 596 x 90	White	
354523	L672 x 55W TC-L / 2G11	596 x 596 x 90	White	
<p>Note: For installing of the luminaires in plasterboard the hole dimension is 580x580mm. Note: Suspension bracket 15BS necessary for the installation in plasterboard ceiling (set of 4 pieces) - Code: 303001</p>				

		<p>TC-L OSRAM: DULUX L PHILIPS: PL-L</p> <p>Recessed luminaires for panels in mineral fibre with exposed structure or plasterboard ceiling, 600x600mm Steel parabolic recuperator with high reflectivity in white colour. Micro-perforated reflector from steel painted in white colour covered with reflection film.</p>	<p>SOFT LIGHT L 682</p> <p>IP 20 CE F</p>	
				<p style="text-align: right;">PRICE LIST</p>
CODE	DESCRIPTION	DIMENSIONS	COLOUR	Electronic ballast
356493	L682 x 40W TC-L / 2G11	596 x 596 x 100	White	
356523	L682 x 55W TC-L / 2G11	596 x 596 x 100	White	
<p>Note: For installing of the luminaires in plasterboard the hole dimension is 580x580mm. Note: Suspension bracket 15BS necessary for the installation in plasterboard ceiling (set of 4 pieces) - Code: 303001</p>				

		<p>OSRAM: T5 PHILIPS: TL5</p> <p>TC-L OSRAM: DULUX L PHILIPS: PL-L</p> <p>Uniform vertical illumination of walls, panels, shelves, blackboards and exhibition cases.</p> <p>Recessed luminaires for panels in mineral fibre with exposed structure or plasterboard ceiling, 600x600mm. Wallwasher recuperator from anodized matt aluminium.</p>	<p>WW Wall Washer</p> <p>IP 20 CE F</p>		
				<p style="text-align: right;">PRICE LIST</p>	
CODE	DESCRIPTION	DIMENSIONS	Plasterboard HOLE	COLOUR	Electronic ballast
371173	WW 1x14W T16	296 x 596 x 100	275 x 575	White	
371273	WW 1x24W T16	296 x 596 x 100	275 x 575	White	
371233	WW 1x28W T16	296 x 1196 x 100	275 x 1175	White	
371353	WW 1x54W T16	296 x 1196 x 100	275 x 1175	White	
371513	WW 1x55W TC-L	296 x 596 x 100	275 x 575	White	
371393	WW 1x80W T16	296 x 1496 x 100	275 x 1475	White	
<p>Note: Suspension bracket 15BS necessary for the installation in plasterboard ceiling (set of 4 pieces) - Code: 303001</p>					